



DAKKS[®]
Enrich Your Floor



DAKKS WOODEN FLOORING BROCHURE



Welcome to **DAKKS**, a one-stop-solution for you flooring needs. With over 2 decades of experience **DAKKS** is One of the largest manufactures of Laminated wooden flooring, Engineered wooden flooring and Hard wood flooring at attractive prices. You can choose from our widerange of colours and designs.

DAKKS is one of the fastest growing wooden flooring choices throughout the world. You can select the colours and designs according to your taste, to create the right kind of atmosphere you need. Rooms for children, halls and kitchens can be made bright and cheery with the right choice of wooden floors . Warm and intimate colours can be an ideal choice for bedrooms.

We are the leading manufacturers and suppliers of wooden floors for the past few years. Our satisfied customers all over World encourage us to keep bettering ourselves. We supply to corporate building, Schools, colleges, Residences and Commercial show rooms.

The wooden floors of **DAKKS** will surely make your home or work place a more stylish place.

01. High pressure HDF Laminate flooring	4
02. Engineered flooring	7
03. Solidwood flooring	13
04. Outdoor flooring	14
05. Wooden Wall Panelling	17
06. Wooden Staircase	18

Index

HIGH PRESSURE HDF

LAMINATE FLOORING



DAKKS Laminated Wooden Floors allow you to enjoy a wood-like floor without the actual use of any solid wood or Engineered wood in its construction, allowing it to be more environment-friendly and inexpensive.

DAKKS Laminate floors are made up of 4 primary layers bonded together under high pressure. A moisture resistant layer under a layer of HDF (high density fiberboard) ensures better life for of products. This is topped with a melamine decorative layer that provides the floor's beauty and realism through high resolution photographic image of natural wood flooring. It is then finished with a melamine wear layer that offers a tough, beautiful finish to stain, fade and wear.

Our Laminate flooring is perfect for anyone wanting a durable floor for a fraction of the price and installation time of a hardwood floor, but with the attractiveness of real hardwood. DAKKS Laminate floors are easy to maintain as it doesn't require any waxes, polishes, detergents or abrasive cleaner.

FEATURES



WATER RESISTANT



ECO FRIENDLY



SCRATCH RESISTANT



GLUE - FREE



STAIN RESISTANT



EASY TO MAINTAIN



FIRE RESISTANT



INTER - LOCK SYSTEM

MATT SURFACE

DIMENSIONS FOR MATT SURFACE: (PER PLANK)			12.3mm
LENGTH	2.5 FT	THICKNESS	12.3 MM
WIDTH	5 INCHES	SQFT PER BOX	22.66 SQFT




SYDNEY WHITE - K7791



SWISS WALNUT - LS05




HAZEL BROWN - H88123-6




PABLO TEAK - K7156




VICTORIAN GREY - K7775



ROYAL COLUMBIAN - 2828




OLIVIA WALNUT - 2258



ROYAL ANTIQUE - M026




SILVER OAK - C009




SEDONA RED - H8289-3




**NEW GERMAN TEAK
H91078-5**



**NEW CANADIAN TEAK
K5006**



**AMAZON CHERRY
13075**




**AMERICAN WALNUT
H9105-19**

SUPREME SERIES

DIMENSIONS FOR MATT SURFACE: (PER PLANK)			12.3mm
LENGTH	4 FT	THICKNESS	12.3 MM
WIDTH	8 INCHES	SQFT PER BOX	18 SQFT



URBAN TEAK
2244-4



VINTAGE WALNUT
2244-3

MATT SURFACE

DIMENSIONS FOR MATT SURFACE: (PER PLANK)			8.3mm
LENGTH	4 FT	THICKNESS	8.3 MM
WIDTH	8 INCHES	SQFT PER BOX	25.8 SQFT




GREY SILVER
SD3654




PERSIAN OAK
SD9337




DRIFT WOOD
SD92775



NEW CANADIAN TEAK
K7775



URBAN WALNUT
88087




BRAZILIAN TEAK
SD88085

ENGINEERED

WOOD FLOORING



The solid wood of the high-quality engineered wood flooring is provided with a lacquer surface and is particularly durable. The lamella impregnation on the head side as well as the all-round impregnated top layer ensure enhanced swell-protection. The engineered wood flooring is extremely dimensionally stable thanks to a solid spruce pine / multi core middle layer. The patented locking mechanism ensures a stable connection. The counter layer veneer made of spruce provides additional support to the composite of the plank. For a long-lasting, beautiful floor covering.



01. Top layer untreated, lacquer solid wood.
02. Spruce pine middle layer excellent shape stability even under the most demanding conditions
03. Counter layer high shape and dimensional stability
04. Locking custom-fit and connection stable

PRODUCT ADVANTAGES

Natural product -
each plank is unique

Pleasant and warm
underfoot

Highly Scratch Resistant

Durable and dimensionally
stable

Impregnation for
enhanced swell-protection

Suitable for underfloor
heating

Water Proof

Interlocking system

Available in textured and
non textured finishes

Suitable for everyday use and easy care

SLEEK SERIES

DAKKS brings to you India's most affordable engineered wood flooring. This flooring is made up of 100% A grade veneer and brings nature at your footsteps at very economical prices.

The flooring is very highly scratch resistant owing to the 7 layer of U.V. hardened acrylic lacquer on the surface. It is waterproof upto 12 hours of exposure to water. It is engineered with multiple layers such that it is highly resistant to borer and termites.

This makes your floor long lasting and enables us to give you a 20 year Warranty.

Come and experience with us a world of **Affordable Luxury.**

PRESTIGE SERIES

Love the feel of longer and wider planks? We have the solution.

DAKKS brings to you its Prestige Series, where you get plank lengths upto 2 meters and widths upto 200mm, redefining the look of wooden flooring making it longer and wider.

Available in 3 different wood species namely European Oak American Walnut and Burma Teak.

The flooring is very highly scratch resistant owing to the 7 layers of U.V. hardened acrylic lacquer on the surface. It is waterproof upto 12 hours of exposure to water. It is engineered with multiple layers such that it is highly resistant to borer and termites.

This makes your floor long lasting and enables us to give you a 20 year Warranty.

SLEEK SERIES

(L 1200 x W 150 x H14/1.5)



OAK RADIANT



OAK WHEAT



OAK HAZELNUT



OAK BARLEY



OAK HUSKY




OAK BRITISH BROWN




OAK BROWNE



OAK BRAZILIAN GREY



OAK GOLD GERY



OAK BLACK




OAK WHITE



OAK LIME WASH




OAK ROSEWOOD



OAK CHOCO

PRODUCTS



SLEEK

SERIES OAK

SLEEK SERIES - OAK		1.5 MM
Species	European Oak	
Lenght	1200 mm	
Width	150 mm	
Thickness	14 mm	
Top Layer Thickness	1.5 mm	
Construction	Multi Layer Plywood Core	

SPECIFICATIONS

PRESTIGE SERIES

(L 2000 - 1000 x W 200 - 190 x H15)



OAK DARK



OAK WALNUT



OAK SAND



OAK LIGHT



BURMA TEAK



AMERICAN WALNUT

PRODUCTS

PRESTIGE

SERIES OAK

PRESTIGE SERIES - OAK		2 MM
Species	European Oak	
Lenght	1900 mm	
Width	190 mm	
Thickness	14 mm	
Top Layer Thickness	2 mm	
Construction	Multi Layer Plywood Core	

PRESTIGE SERIES - OAK		4 MM
Species	European Oak	
Lenght	1900 mm	
Width	190 mm	
Thickness	15 mm	
Top Layer Thickness	4 mm	
Construction	Multi Layer Plywood Core	

SPECIFICATIONS

SOLIDWOOD

FLOORING




DAKKS Solid Wood Flooring is a natural 100% wood product with each board coming from just one piece of solid wood which is cut down to the desired size. It creates a luxurious appeal to your home and is very strong & durable. The solid wood flooring has a longer life expectancy, offering a timeless and charismatic appeal. The thickness is about 18mm.

Solid wood floor represents a homogeneous construction of wood. The product expands 30% more than engineered wood and therefore it is seasoned well to allow for such expansion. DAKKS Solid wood flooring comes with seven coats of formaldehyde-free acrylic lacquer which is UV-cured so that the product does not get dusty. Having unique features such as stain and scratch resistance, solid wood floors provides natural warmth. Easy to maintain and clean, this type of flooring comes with feather touch that provides comfort of bare foot walking

There are many forms of wood available, varying plank sizes and a choice of finish. Some forms of wood available are, Oak, American Walnut, Burma Teak, Cumaru, Jatoba etc... You also have the option of re-finishing your flooring, a number of times if and when required. When temperature rises or falls and when moisture levels fluctuate, it expands and contracts. We do have a solution for it. Our Solid Wood Flooring options offer an elegant, luxurious appearance and will add character to any room within the home.




OAK NATURAL




OAK CARAMEL




BRUSHED TEAK




BRUSHED WALNUT




OAK COFFEE




OAK WALNUT



AMERICAN WALNUT



NATURAL MERBAU



NATURAL ACACIA



CARBONIZED BAMBOO

OUTDOOR

FLOORING



Outdoor decking represents the wood flooring used to cover outdoor surfaces. Some wood species are naturally resistant to the action of external agents - among these, teak, ipe and iroko are durable and do not require special treatments for conservation. Their characteristics make them suitable for decking, together with the heat-treated bamboo and ash. Decking (or outdoor parquet) is perfect for covering terraces, gardens, balconies, patios, pool edges, walkways and gazebos. It can be laid from scratch or on existing floors, does not require special maintenance and does not require special finishes but it is important to treat it with specific natural oils before installation, to prevent discolouration, due to continuous sun exposure.

All the wood species of decking: An eco-friendly choice :

Decking is an ecological solution, simple and versatile in design, to furnish outdoor spaces of homes or rooms. An eco-friendly choice that is also ideal for terraces, gardens and poolside areas. Decking in IPE and decking in teak are the most used, as they are made of wood species resistant to the main causes of external deterioration. The main aspect of decking is its ecological nature, which guarantees an excellent yield over time. It also has a good drainage capacity, allowing it to be installed on any type of surface. The heat-treated bamboo decking, on the other hand, is a product with exceptional dimensional stability and - thanks to the high-density heat-treatment to which it is subjected - is not subject to torsional phenomena and is resistant to the elements. WPC decking, on the other hand, is composed of an innovative material which - due to its characteristics - is used for covering large spaces and external floors, being very flexible and dynamic. Composed of wood fibre and thermoplastic material, it is 100% ecological and recyclable and requires less maintenance than hardwood or solid wood. The WPC staves are also non-slip, anti-mould and anti-chip, resistant to water and salt, resistant to termites and insects, characteristics that make this material particularly suitable for covering floors and pool edges.

ADVANTAGES OF OUTDOOR DECKING



Durability & longevity



Resistant to Rot, Insects & more



Beautiful Colors & Grains



Doesn't Retain Heat



Low Maintenance



Eco-friendly



Easy to install

A photograph of a wooden deck with a wooden chair and a small table. The deck is made of grey WPC decking. The chair has a white blanket and a patterned cushion. The table has a drink and some papers.

WPC

DECKING

WPC or wooden plastic composite is the most eco-friendly solution to wooden deck flooring today. It is a state-of-the-art flooring solution that offers the perfect marriage between wood and composites. It is made from wood fibre mixed with a thermoplastic. Because of their unique construction, WPC is built to withstand harsh outdoor conditions.

Elegant colours, combined with different surface finishes, results in an unmatched choice for different conditions that look great and will stay that way. High performance, low on maintenance, deck planks are fitted to an aluminium framework with concealed fixtures, offering barefoot safe anti-skid surfaces.


Available in 2 types:

Sizes available:

146 x 24 mm x 2.4 mtr length

150 x 25 mm x 2.4 mtr length


Planks



Sizes available:

305 x 305 mm x 12/24 mm

Deck-Tile





IPE

DECKING



IPE decking wood is the finest wood decking material available in the market. Ipe is an exotic hardwood that is naturally resistant to rot and decay, is 8 times harder than California Redwood, and is guaranteed for 20 years without preservatives! Our Ipe Decking is responsibly harvested from well-managed forests to provide a truly renewable resource. Ipe has many benefits over teak and is available at a fraction of the cost.

Available in 2 types:

Sizes available:

- 140 x 19 mm 3-6 ft length
- 120 x 18 mm 3-10 ft length
- 90 x 19 mm 3-6 ft length


Planks



Sizes available:

- 305 x 305 mm x 12/24 mm

Deck-tile



WOODEN WALL

PANELLING




Wood on the wall creates eye-catchers in the room, emanating a distinctive sense of warmth and comfort.

The current trends in interior design revolve around naturalness and clear room concepts with large windows. Partial or complete wall designs with wooden elements fit perfectly. They create counterpoints to the room concept or emphasise it in a subtle way. This completely new living experience is underlined by the noble, selected woods, the striking texture of the design elements and their matt oiled surface

Advantages of DAKKS Wall Panelling:

- ✓ Life Time Warranty
- ✓ Sound Proof
- ✓ Electrical Wire Gets Concealed
- ✓ Water Resistant
- ✓ Scratch Resistant
- ✓ Fire-resistant
- ✓ Stain resistant



WOODEN STAIRCASE



DAKKS flooring not only look great on the floor, you can also use them to finish your staircase and create a perfectly harmonious interior. Whether you want to cover new stairs or renovate an existing staircase, it's just a question of picking the flooring solution that fits your needs. And did we mention it's super easy? Here's why.



ADAPTABLE:

DAKKS flooring can easily be cut to the length and width of stair treads.



DURABLE:

Our floors are extremely strong, thanks to several protective layers.



EASY TO MAINTAIN:

This is especially useful when you have to clean a tricky, winding staircase, for instance.



EASY TO INSTALL:

Do it yourself in no time, or hire a professional.

New or existing, straight or spiral, classic or modern... Renovating your stairs with DAKKS laminate flooring is easy and affordable. Fancy yourself a bit of a handyman? Laminate planks can be laid in just one day, with a minimal amount of dust.





DAKKS[®]
Enrich Your Floor

Corporate office and display showroom
105, Dr Alagappa Chetiar Road, Tatabad, Coimbatore 641-012.

+91(422) 2490111 | +91 98940 69417

✉ sales@dakkswood.com | 🌐 DAKKS.in

WOODEN FLOORING BROCHURE

